



LENGTH OVER ALL (MOLDED)	306'-6"
LENGTH BETWEEN PERPENDICULARS	300'-0"
FRAME SPACING	21"
BREADTH EXTREME (OUTSIDE PLATING) AT FR. 102	36'-11 1/2"
LIMITING DRAFT	12'-7"

SUPERSTRUCTURE DECK (AT FR. 59)	16'-9"
NAVIGATING BRIDGE DECK	24'-7 3/4"
TOP OF STEERING STATION	31'-7 3/4"
TOP OF ECHO RANGE FINDER STATION (6' AFT OF FR. 48)	38'-4 3/4"
TOP OF ENCLOSURE ON SUPER. DK. AFT (AT FR. 111)	22'-1"
MAIN DK. AT FR. 59	9'-6"

HIGHEST POINT ON MAINMAST (TOP OF RADAR SCREEN)	93'-7 $\frac{3}{4}$ "
SIGNAL YARD ON MAINMAST	68'-4 $\frac{1}{4}$ "
TOP OF TRIPOD MAST	49'-11 $\frac{1}{2}$ "

CENTER OF TRUCK LIGHT ON POLE MAST(RED)	90'-7 ³ / _{4"}
" " " " " " " (WHITE)	90'-3"
" " MASTHEAD LIGHT ON POLE MAST(WHITE)	58'-3"
" " RANGE LIGHT ON FWD. END OF ECHO RANGE FDR. STA.(WHITE)	34'-11"
" " ANCHOR " " 40 MM. DIRECTOR PLATF. FWD.(WHITE)	33'-1"
" " SPEED " " TRIPOD MAST (WHITE)	23'-11 ³ / _{4"}
" " AIRCRAFT WARNING LIGHT ON TRIPOD MAST (RED)	50'-5"
" " SIDE LIGHT ON OUTBD. SIDE OF SKY LOOKOUT SHIELD STBD.(GREEN)	32'-2 ¹ / _{4"}
" " " " " " " " " PORT (RED)	32'-2 ¹ / _{4"}
" " STEERING LIGHT ON JACK STAFF (WHITE)	28'-6 ¹ / _{4"}
" " ANCHOR LIGHT ON ENSIGN STAFF "	12'-2"
" " STERN LIGHT " " " "	11'-1 ¹ / _{4"}
" " WAKE " " " "	10'-2"

DESCRIPTION	LOCATION	NO. ON BD.	CAP.	TOTAL CAP.
36'-0" LANDING BOAT	SUPER. DK. FR.85-105 P/S OUT.	4	40	160
LIFE FLOAT	" " FR.57-65 P/S OUT.	2	60	120
" "	" " FR.77-83 P/S OUT.	2	40	80
" "	" " FR.114-116	2	25	50
" "	" " FR.51-56 P/S OUT.	2	25	50
TOTAL CAPACITY OF ALL BOATS & FLOATS				460

COMM. OFF. (1) W.R. OFF'S. _____
CHIEF PETTY OFFICERS _____
CREW _____
TOTAL _____

TROOP OFFICERS _____
TROOPS _____
TOTAL _____
 *TO BE FILLED IN BY CO. OF VESSEL

DESCRIPTION	SUPER. DK.	NO.	MAIN DK.	NO.	I. PLATFORM	NO.	TOTAL	NO.
BERTHS, ADMIRAL'S S.R.	FR.47-51 P	1						1
" SHIPS OFF'S			FR.35-47 S	6	FR.153-160 P	4		16
" SHIPS OFF'S			FR.39-53 P	6				
" TROOP OFF'S					FR.35-47 S	12		12
" C.P.O.					FR.14-23 P/S	15		15
" CREW					FR.47-59 P/S	46		
" CREW					FR.113-125 P/S	45		
" CREW					FR.125-139 P/S	71		174
" CREW					FR.139-147 P	12		
" TROOPS			FR.86-121 P	59	FR.35-47 P/S	20		155
" TROOPS			FR.86-125 S	68				
HAMMOCK HOOKS, PAIRS			FR.72-86 P	7				17
HAMMOCK HOOKS, "			FR.66-86 S	10				
							TOTAL	390


DESCRIPTION	LOCATION	TRANSM	TYPE A	TYPE B-1	TYPE B-2	TOTAL LKRS.	PEACOCK LKRS.
TROOP OFF'S	I. PLATF. FR. 38-47 S	12				12	
C.P.O.	" FR. 14-23 P/S	9	9			18	
CREW	" FR. 47-59 P/S	18		6 (3 HIGH)	7 (2 HIGH)	50	1
CREW	" FR. 113-125 P/S	16		4	6	40	2
CREW	" FR. 125-139 P/S	33		8	9	75	5
CREW	" FR. 139-147 P	12				12	1
						TOTAL 207	TOTAL 9

PLUG NO.	01-60	SUPERSTRUCTURE DECK	FR. 59-60 P.
"	1-31	MAIN DECK	FR. 30-31 S.
"	1-64-2	" "	FR. 64-65 P.
"	1-79-1	" "	FR. 79-80 S.
"	1-90-2	" "	FR. 90-91 P.
"	1-96-1	" "	FR. 96-97 S.
"	1-129-2	" "	FR. 129-130 P.
"	2-31-1	1ST. PLATFORM	FR. 31-32 S.
"	2-48	" "	FR. 47-48 P.
"	2-125	" "	FR. 124-125 P.
"	2-154	" "	FR. 154-155 P.

APD 47

BUREAU OF SHIPS NO. APD 47-SOI03- 611057

RESTRICTED



- LIST OF ABBREVIATIONS
- ABV - ABOVE
 - APT - ANTENNA
 - A.P. - AFTER PERPENDICULAR
 - ALT - ALTERNATE
 - DL - DECK
 - FE - FOOT
 - F.O.A.E. - FORWARD OF AIR ESCAPE
 - FR - FRAME
 - FP - FORWARD PERPENDICULAR
 - FND - FORWARD
 - LAR - LATERAL
 - LT - LIGHT
 - LOCN - LOCATION
 - L.W.L. - LOAD WATER LINE
 - MUSH - MUSHROOM
 - P/S - PORT & STERNWARD
 - P - PORT
 - REC - RECEIVER
 - R.S.L. - READY SERVICE LOCKER
 - STA - STATION
 - S - STERNWARD
 - TRANS - TRANSMITTER
 - VENT - VENTILATOR
 - V.L. - VERTICAL LATERAL

RESTRICTED

LIST OF ABBREVIATIONS

A.A. - ANTI-AIRCRAFT
 A.A.M. - AIRCRAFT MOUNT
 A.P. - AFTER PERPENDICULAR
 ABV. - ABOVE
 B.L. - BASE LINE
 CAL. - CALIBER
 COMPT. - COMPARTMENT
 CAPT. - CAPTAIN
 CONTAM. - CONTAMINATED
 CLIPPING - CLIPPING
 C.P.O. - CHIEF Petty OFFICER
 DM. - DECK
 D.W.L. - DESIGN WATER LINE
 F.O. - FUEL OIL
 F.S. - FORWARD
 F.P. - FORWARD PERPENDICULAR
 I.C. - INTERIOR COMMUNICATIONS
 INBD. - INBOARD
 L.R. - LOCKER
 L.R. - LADDER RIGGED
 LUB. - LUBRICATING
 L.W.L. - LOW WATER LINE
 MT. - MOUNT
 MTL. - MATERIAL
 M.S. - MESS
 MAG. - MAGAZINE
 OFF. - OFFICER
 OUTBD. - OUTBOARD
 C.T. - OIL TIGHT
 P. - PORT
 PORT. - PORTABLE
 PASS. - PASSAGE
 P.S. - POINT & STAR RIGGED
 S.S. - READY SERVICE
 RM. - ROOM
 S.D. - STORES DEPARTMENT
 STA. - STATION
 S.L. - STATION
 VENT. - VENTILATOR
 VEG. - VENTILABLE
 W.C. - WATER TIGHT
 W.C. - WATER CLOSET
 W.R. - WAREHOUSE
 W.R. - WAREHOUSE

INBOARD PROFILE


APD-47

BUREAU OF SHIPS NO. APD 47-50103-611057

0 4 8


SCALE 1/8"=1'-0"

SHEET NO. 4 OF 15



RESTRICTED

M/M - MILLIMETER
M.S. - MEDIUM STEEL
N.T. - NONTIGHT
P/S - PORT & STARBOARD
REC. - RECORDER
ST. - STOOL
STA. - STATION
STEER - STEERING
ST.B. - SPECIAL TREATED STEEL
V.L - VERTICAL LADDER



RANGE FINDER PLATFORM &
TOP OF HOUSE


NO SHEER - NO CAMBER
37' - 2 $\frac{3}{4}$ " ABV. B.L.

44' - 2 $\frac{3}{4}$ " ABV. D.L.

RESTRICTED

LIST OF ABBREVIATIONS

AA - ANTI-AIRCRAFT
 ABV - ABOVE
 AMM - AMMUNITION
 AT - AIRTIGHT
 BHD - BULKHEAD
 CHIF - CHIFFONIER
 CH - CHAIR
 CHA - CHAMBER
 CLIP - CLIPPING
 CENV - CONDENSATOR
 DIR - DIRECTION
 DN - DOWN
 FC - FILE CABINET
 FP - FIRE PLUG
 FT DESK - FLAT TOP DESK
 FT - FUME TIGHT
 IMM - IMMERSION
 LKR - LOCKER
 LR - LADDER ROUNDS
 M/M - MILLIMETER
 MOT. GENER - MOTOR GENERATOR
 MOOR - MOORING
 NT - NOT TIGHT
 OPER - OPERATOR
 OPG - OPENING
 P/S - PORT & STARBOARD
 PYRO - PYROTECHNIC
 RAD - RADIATOR
 RM - ROOM
 RS - READY SERVICE
 S.B. - SWITCHBOARD
 SC - SCUTTLE
 STD - STANDARD
 STS - SPECIAL TREATED STEEL
 TOW - TOWING
 TRANS - TRANSMITTER
 TW - TYPEWRITER
 V. OR VENT - VENTILATOR
 VL - VERTICAL LADDER
 WR - WARDROBE



SUPERSTRUCTURE DECK
 SHEER & CAMBER

SUPERSTRUCTURE DECK

APD-47

BUREAU OF SHIPS NO. APD 47-S0103-611057




SCALE 1/8" = 1 FOOT

SHEET NO 9 OF 13


RESTRICTED

LIST OF ABBREVIATIONS

AA - ANTI-AIRCRAFT
 ABM - ABOVE
 AMM - AMMUNITION
 AT - AIRTIGHT
 BHE - BULKHEAD
 CHIF - CHIFFONIER
 CH - CHAIR
 CHA - CHAIRS
 CLIP - CLIPBOARD
 DIR - DIRECTION
 DN - DOWN
 FL - FILE CABINET
 FP - FIRE PLUG
 FY DESK - FLY TOP DESK
 FT - FURNITURE
 IM - IMMERSION
 LK - LOCKER
 LR - LADDER RUNDS
 MM - MILLIMETER
 MGT. GEN. - MOTOR GENERATOR
 MOD - MODERN
 NT - NOT TIGHT
 OPER - OPERATOR
 OPS - OPENING
 PS - PORT & STARBOARD
 PYRO - PYROTECHNIC
 RAD - RADIATOR
 RM - ROOM
 RS - READY SERVICE
 SB - SWITCHBOARD
 SC - SCUTTER
 STD - STANDARD
 STS - SPECIAL TREATED STEEL
 TOW - TOWING
 TRANS - TRANSMITTER
 TW - TYPEWRITER
 V. OR VENT - VENTILATOR
 VL - VERTICAL LADDER
 WR - WARDROBE



TOP OF BOOBY HATCH & BATTERY CHARGING STA.



SUPERSTRUCTURE DECK


APD-47

BUREAU OF SHIPS NO. APD 47-50103-611057




SCALE 1/8" = 1 FOOT

SHEET NO. 9 OF 13



LIST OF ABBREVIATIONS

- A.P. - AIRPORT
A.T. - AIRTIGHT
CAL - CALIBER
CE - CLEANING GEAR
CHIF. - CHIFFONIER
COAM. - COAMING
DN. - DOWN
DRK'S. F.T.N. - DRINKING FOUNTAIN
D.O. - DIESEL OIL
DOUB. - DOUBLE
E.N. - ESCAPE HATCH
EMER. - EMERGENCY
E.M. - EXPANDED METAL
EMP. - EMPTY
ENG. - ENGINEER
EQUIP. - EQUIPMENT
ES. - ESCAPE SCUTTLE
EXEC. - EXECUTIVE
EXH. - EXHAUST
F.O. - FUEL OIL
F.P. - FIRE PLUG
FT. - FUME TIGHT
FWD. PERP. - FORWARD PERPENDICULAR
I.C.E. - INTERNAL COMBUSTION ENGINE
L.K.R. - LICKER
L.R. - LADDER ROUNDS
MACH. - MACHINERY
N.T. - NONTIGHT
OFF. - OFFICERS
PEEL. - PEELER
PROV. - PROVISION
P.S. - PASSING SCUTTLE
P/S. - PORT & STARBOARD
REF. - REFRIGERATOR
RM. - ROOM
R.S. - READY SERVICE
SERV. - SERVICE
SING. - SINGLE
STER. - STERILIZER
STOW. - STOWAGE
VENT. - VENTILATOR
W.R. - WARDROBE
W.R. - WARDROOM
W.R. & W.C. - WARDROOM STATEROOM
W.R. & W.C. - WASHROOM & WATER CLOSET
W.S. - WRITING SHELF
WT. - WATERTIGHT



MAIN DECK
SHEER & CAMBER

APD-47

BUREAU OF SHIPS NO. APD 47-S 0103- 611057

SCALE: $\frac{1}{8}'' = 1 \text{ FOOT}$

LIST OF ABBREVIATIONS

- A - AIRPORT
AT - AIRTIGHT
CAL - CALIBER
CA - CLEANING GEAR
CHF - CHIFFONIER
COAG - COAGMING
DN - DOWN
DRB PYL - DRINKING FOUNTAIN
DD - DIESEL OIL
DOU - DOUBLE
EN - ESCAPE HATCH
EMER - EMERGENCY
LM - LEEPMAN METAL
EMP - EMPTY
ENG - ENGINEER
EQUIP - EQUIPMENT
ES - ESCAPE SCUTTLE
EXEC - EXECUTIVE
FAM - FORWARD
FO - FUEL OIL
FR - FIRE PUMP
FT - FUME TREAT
GAS - GASEOUS
IC - INTERNAL COMBUSTION ENGINE
LWR - LOWER
LR - LADDER RUNGERS
MACH - MACHINERY
HT - HATCH
OFF - OFFICE
PEEL - PEELER
PROV - PROVISION
PS - PRESSING SCUTTLE
PT - POINT / STAIRCASE
REF - REFRIGERATOR
RM - ROOM
RS - READY SERVICE
SERV - SERVICE
SING - SINGLE
STER - STERILIZER
STOW - STOWAGE
VENT - VENTILATION
WR - WARDROBE
WB - WARDROOM
WBR - WARDROOM
WCB (WC) - WASHROOM / WATER CLOS
WB - WASHING SHELF
WT - WATERTIGHT

MAIN DECK
SHEER & CAMBER


MAIN DECK


APD-47

BUREAU OF SHIPS NO. APD 47-S 0103- 611057

SCALE: $\frac{1}{8}" = 1$ FOOT

SHEET NO. 10 OF 13






RESTRICTED

LIST OF ABBREVIATIONS


- AMMUN - AMMUNITION
- AP - AFTER PERPENDICULAR
- BOS'N - BOATSWAIN
- CG OR CL GEAR - CLEANING GEAR
- CH - CHAIR
- CHEM - CHEMICAL
- CPO - CHIEF PETTY OFFICER
- DF - DRINKING FOUNTAIN
- DN - DOWN
- DO - DIESEL OIL
- DOUB - DOUBLE
- EH - ESCAPE HATCH
- EM - EXPANDED METAL
- ENG & ELECT - ENGINE & ELECTRICAL
- FO - FUEL OIL
- FP - FIRE PLUG
- FWD PERP - FORWARD PERPENDICULAR
- FA - FIRST AID
- FWD - FORWARD
- L OR LK - LOCKER
- LO - LUBRICATING OIL
- LR - LADDER ROUNDS
- LTD - LIGHTENED
- MAT'L - MATERIAL
- MED - MEDICAL
- N.T. - NOT TIGHT
- OFF - OFFICERS
- P/S - PORT & STARBOARD
- PROJ - PROJECTILE
- RM - ROOM
- S.D. - SUPPLY DEPARTMENT
- SEC'Y - SECRETARY
- SET - SETTLING
- STERIL - STERILIZER
- STAT - STATIONERY
- STOR - STORAGE
- STOW - STOWAGE
- SWBD - SWITCHBOARD
- TRAN - TRANSOM
- W/LASS CONTR - WINDLASS CONTROL
- W.R. & W.C. - WASHROOM & WATER CLOSET
- W.R.S.R. - WARDROOM STATE ROOM
- WT - WATERTIGHT
- V.L. - VERTICAL LADDER



1ST PLATFORM APD 47

BUREAU OF SHIPS NO. APD 47-S'0103- 611057


SCALE 1/8" = 1'-0"




1ST PLATFORM
SHEER-NO CAMBER (FORWARD)

IST PLATFORM
APD 47

BUREAU OF SHIPS NO. APD 47-S-0103-611051



RESTRICTED



LIST OF ABBREVIATIONS


AMM - AMMUNITION
 A.P. - AFTER PERPENDICULAR
 A.T. - AIRTIGHT
 ABV. B.L. - ABOVE BASE LINE
 BHD - BULKHEAD
 COMPR - COMPRESSOR
 COMPT. - COMPARTMENT
 COND. - CONDENSER
 CONTAM. - CONTAMINATED
 DK. - DECK
 E.M. - EXPANDED METAL
 FWD. PERP. - FORWARD PERPENDICULAR
 I.C. RM. - INTERIOR COMMUNICATIONS ROOM
 LKR - LOCKER
 L.R. - LADDER ROUNDS
 MACH. - MACHINERY
 M/M - MILLIMETER
 N.T. - NONTIGHT
 O.T. - OILTIGHT
 PASS. - PASSAGE
 PORT. - PORTABLE
 S.D. - SUPPLY DEPARTMENT
 V.L. - VERTICAL LADDER
 W.T. - WATERTIGHT

2ND PLATFORM APD 47

BUREAU OF SHIPS NO. APD 47-SO103-611057

SCALE 1/8"=1'-0"

RESTRICTED



NO SHEER OR CAMBER (AF

LIST OF ABBREVIATION

- ABN - ABNORMAL
 AC - AFTER PERPENDICULAR
 AD - ADJUST
 ABL - ABL - ABOVE BASE LINE
 ABD - ABOARD
 COMP - COMPRESSOR
 COMP - COMPARTMENT
 COND - CONDENSER
 CONTAM - CONTAMINATED
 DE - DECK
 EM - EXPANDED METAL
 FWP - FORWARD PERPENDICULAR
 I.C. EM - INTERIOR COMMUNICATING ROOM
 LRE - LOCKER
 LR - LADDER RUNGS
 MAC - MACHINERY
 MM - MILLIMETER
 NT - NONTIGHT
 OT - OILTIGHT
 PASS - PASSAGE
 PORT - PORTABLE
 SD - SUPPLY DEPARTMENT
 VL - VERTICAL LADDER
 WT - WATERTIGHT

2ND PLATFORM

SHEER-NO CAMBER (FORWARD)

2ND PLATFORM

APD 4

BUREAU OF SHIPS NO. APD 47-50103-61105



SHEET No. 120

